

ATTACHMENT #1 - SCHEDULE A

TRUCK-LOAD ADHOC HIGHWAY SERVICES for BRITISH COLUMBIA 2022

CONTENT

1. Truckload Adhoc Highway Services for BRITISH COLUMBIA.
 - 1.1. Description of Service
 - 1.2. Definitions
 - 1.3. Type/Specifications of Vehicle(s) required
 - 1.4. Other Vehicle & Operational Requirements
 - 1.5. Designated Tender Points (DTP) and Designated Delivery Points (DDP)
 - 1.5.1. Designated Tender Points (DTP)
 - 1.5.2. Designated Delivery Points (DDP)
 - 1.6. Other Requirements

2. Elections Material Adhoc Delivery & Pick-up
 - 2.1. Description of Service
 - 2.1.1. Transportation of Election/Census Material between Postal Facilities
 - 2.1.2. Transportation of Election/Census Material from Correctional facilities
 - 2.1.3. Transportation of Election Material from SVO in Universities and Campuses
 - 2.2. Type/Specifications of Vehicle(s) required
 - 2.3. Other Vehicle & Operational Requirements

3. Insurance Requirements

SCHEDULE A

TRUCK-LOAD ADHOC HIGHWAY SERVICES for BRITISH COLUMBIA 2022

Date: October 1, 2022, to September 30, 2023

1. TRUCK-LOAD ADHOC HIGHWAY SERVICES for BRITISH COLUMBIA

1.1 DESCRIPTION OF SERVICE

Transportation of mail between the Designated Tender Point (DTP) of Vancouver, Prince George, Kelowna, Kamloops, Cranbrook, Victoria, Nanaimo, Port Alberni & Penticton, and various Designated Delivery Points (DDP) on an “as and when required” basis.

Canada Post has signed agreements for Adhoc Services in this Province with multiple Contractors. Call out for services under these Agreements will be based on a pricing matrix and may include preference criteria and considerations such as, but not limited to the Contractor’s:

- Contracted adhoc rates – Schedule “B”. Lowest rates will be given preference.
- Security clearance status, including driver clearances. All Contractor drivers with access to the mail, must comply with the Schedule “C” Security Requirements included in the Agreement.
- Availability and flexibility to provide the Service.
- Equipment available in Greater Vancouver Area.
- Response time.
- Geographic location.
- Past performance history with Canada Post.

1.2 DEFINITIONS

For the purposes of this Agreement, the words ‘adhoc’ and ‘overload’ are used interchangeably.

Adhoc/Overload Services – Canada Post defines Adhoc services as additional transportation requirements which are in addition or incremental to the Regularly Scheduled Service requirements. Adhocs are utilized on an “as required and when required” basis. The frequency and time of adhocs/overloads will vary and there is no guarantee to any Contractor. Adhoc/overload services are most likely to occur during volume increases. This is known as the Peak Period, which can begin in late October and run to the end of January but may occur at any time throughout the year.

Authorization Number - Is a reference number provided by the Canada Post Area Performance Centre or a Transportation Officer. Examples: PR201412345 or PA201412346. Where unscheduled transportation services are performed, an Authorization Number must be obtained prior to execution of the service.

Designated Tender Point (DTP) means the location where the Mail is tendered to the Contractor.

Designated Delivery Point (DDP) means the location where the Contractor shall deliver the Mail.

Designated Intermediate Point (DIP) means the delivery and/or pick-up location(s) in between the Designated Tender Point and Designated Delivery Point, which are located on the Route.

Loose load refers to a loading procedure at the designated tender point. Hand load refers to loading by hand by the Contractor. During loading this mail will come from Canada Post equipment into the floor of the vehicle or into empty monos staged inside the unit. Hand of mail occurs primarily on our 5 ton or smaller vehicles to smaller post offices with access restrictions where monotainers cannot be offloaded. This is different than large loose loads that may travel on 53-foot trailers that are loaded and offloaded by Canada Post employees.

Regular Schedule Service – Transportation requirements which operate on a regular schedule and frequency under a separate Agreement.

Note: These contracted services include adhoc provisions with established rates for additional services which are within the scope of the Regular Schedule Service being performed. When such adhoc services are performed, the Regularly Schedule Service adhoc rates will apply, not the rates of this adhoc agreement.

Surface Transport Report (STR) - The STR is used by Canada Post to financially control and record the movement of mail and/or supplies/equipment via highway surface transport.

1.3 TYPE/SPECIFICATIONS OF VEHICLE(S) REQUIRED

Description	Vehicle Specification Type
Straight truck	8 – 17
Tractor	28 – 29
Trailer	23 – 26 – 27

TYPE	DESCRIPTION	BOX MEASUREMENTS			CUBIC CAPACITY		PAYLOAD CAPACITY	GROSS VEHICLE WEIGHT (GVW)	MONO CAPACITY
		OUTSIDE LENGTH	OUTSIDE WIDTH	INSIDE HEIGHT	CUBIC FEET	CUBIC METERS			
8	STRAIGHT TRUCK	18' 5.49 m	8.5' 2.59 m	84" 213 cm	985	27.9	5400	8000	8 - S
9	STRAIGHT TRUCK	20' 6.1 m	8.5' 2.59 m	84" 213 cm	1097	31.0	6300	8000	9 – S
10	STRAIGHT TRUCK	20' 6.1 m	8.5' 2.59 m	96" 244 cm	1360	38.9	6300	11000	9 – S
11	STRAIGHT TRUCK	22' 6.7 m	8.5' 2.59 m	84" 213 cm	1208	34.2	7200	15800	11 - S
12	STRAIGHT TRUCK	22' 6.7 m	8.5' 2.59 m	96" 244 cm	1496	42.7	7200	15800	11 - S
13	STRAIGHT TRUCK	22' 6.7 m	8.5' 2.59 m	102" 259 cm	1500	42.5	7200	15800	11 – S 22 - D
14	STRAIGHT TRUCK	24' 7.31 m	8.5' 2.59 m	102" 259 cm	1554	44.0	7500	15800	11 - S 22 - D
15	STRAIGHT TRUCK	26' 7.92 m	8.5' 2.59 m	96" 244 cm	1637	46.4	8100	15800	12 - S 24 - D
16	STRAIGHT TRUCK	26' 7.92 m	8.5' 2.59 m	102" 259 cm	1879	53.7	7800	15800	12 - S 24 - D
17	STRAIGHT TRUCK	28' 8.53 m	8.5' 2.59 m	96" 244 cm	1765	50.0	8100	15800	13 - S 26 - D
23	TRAILER	36' 9.14 M	8.5' 2.59 m	102" 259 CM	2362	66.8	12000		18-S 36-D
26	TRAILER	53' 16.2 m	8.5' 2.59 m	102" 259 cm	3236	103.0	24000		26 - S 52 - D
27	CITY TRACTOR (6 WHEELS)								
28	HIGHWAY TRACTOR (10 WHEELS)								

1.4 OTHER VEHICLE & OPERATIONAL REQUIREMENTS

Barn doors	Yes (on trailers)
Roll up doors	NO
Driver certification required to use CPC Industrial low lift trucks as per section 1.4 k)	Yes
Smartphone for Driver on duty	Yes
Tailgate lifter (must be compatible with Canada docks and provide a 3-inch overlap on the dock)	Yes
Pallet lifter	AS REQUIRED

- a) Upon request of CPC, drivers will be required to download on the required *Smartphone* a tracking application free of charge to track the movement of these monotainers. Any charges related to the use of the Smartphone and/or the required application (including, but not limited to data) are the responsibility of the Contractor.
- b) *Vehicle(s) appearance* shall be free of rust and body damage. Vehicle(s) must be kept in first rate operating condition for the entire term of the agreement, with appropriate safety equipment, to prevent delays. Vehicle(s) must be able to pass the appropriate Provincial Safety Inspection during the term of the agreement.
- c) *Monotainers (Mono)* - A container for bulk mail in transit between postal facilities. Consists of a rectangular welded steel base with open mesh sides constructed of horizontal and vertical wire rods welded at the crossover points. The monotainers may be stored in either the fully erected or fully collapsed condition.

Dimensions: (Erected/Collapsed)

Length 1322 mm /1322 mm

Width 1067 mm /1067 mm

Height 1115 mm / 260 mm

Weight 200 lbs. (empty)

Monotainers capacity is for CPC reference only. When loose loading, the determining factor will be maximum licensed cargo capacity. S = Single monotainers D = Double stacked monotainers

- d) *Door Opening* – 95 to 102 inches clearance for straight trucks and tractor/trailer units for door opening from the highest point of the floor to lowest point of door.
- e) *Measurement and Payloads* – The above specifications are minimum requirements and are to be used as general guidelines only. Vehicle type, size and cube variations may be possible as long as the minimum cubic and payload capacities are met as per Vehicle Specifications Type indicated.
- f) *Vehicle height to Dock level* - All straight trucks or tractor trailer units must meet industry standards for loading/unloading from a standard 48" ground to dock floor level high dock unless otherwise specified.
- g) *Restrictions* - No refrigerated ("reefer") trucks are allowed. No propane heaters are allowed.
- h) All *equipment* must be licensed for the maximum legal Gross Vehicle Weight (G.V.W). All equipment must meet Federal, provincial, and municipal regulations governing the use and condition of such equipment.

Straight trucks and trailers (except vehicles with a Power Tail Gate) must have ICC bars to accommodate the Dock Lock systems at Canada Post mail processing facilities. If, for any reason, the contractor must provide a substitute or replacement for the vehicle contracted under this Schedule A, the substitute vehicle must meet or exceed the contract specifications.

Drivers will install and/or remove wheel chocks to/from truck or trailer wheels at all stops on the schedule. A minimum of two chocks is required on opposing sides of the rear wheels.

All vehicle doors are to be furnished with a lock or locking mechanism to affix Canada Post seals if required. The Contractor must ensure that the vehicles and the keys for vehicles always remain secure.

- i) C.S.A. approved safety shoes must be always worn on CPC property and at any CPC Customer locations. CSA Z96-02 approved high-visibility traffic safety vest must be always worn.
- j) *Special Service Tasks* - The inside of the box/trailer must be always kept clean from refuse (dust, paper, or cardboard waste etc.)

When requested by Canada Post, the Contractor shall separate by product line on the vehicle all mail picked up on the mail collection trip.

- k) *Motorized Material Handling Equipment (MMHE) Training* - The Contractor may have to use Industrial low lift trucks or Motorized Material Handling Equipment (MMHE) to perform the service on certain services.

Refer to the table under Section 1.4 – Other Vehicle & Operational Requirements to know if the driver(s) need a certification to use a MMHE.

If there is no need to use an industrial low lift truck or a MMHE equipment, then the Contractor acknowledges that in the performance of the work, the operation of manual and mechanized equipment may be required. Accordingly, in the event the Contractor uses or is required to use Canada Post equipment for loading and/or unloading of the mail, the Contractor shall make such use at its own risk and shall indemnify and hold Canada Post harmless pursuant to the indemnification provisions set forth in this agreement, with respect to any liability arising from such use.

If the driver(s) need(s) to use an industrial low lift truck or a MMHE equipment, then the contractor at its own expense) shall provide personnel who are properly trained and certified (carry a card) in accordance to the Canada Labour Code (“Code”) and the Canadian/Provincial Occupational Health and Safety Regulations (“COSH”) level in the operation of industrial low lift trucks (Motorized Material Handling Equipment (MMHE), similar to LR7 and LW7.

The Contractor will be required to use Canada Post equipment for loading and/or unloading the mail, the Contractor shall make such use at its own risk and shall indemnify and hold Canada Post harmless pursuant to the indemnification provisions set forth in this Agreement, with respect to any liability arising from such use.

The contractor’s driver may be challenged, a certification document/card, in the use of MMHE, must be shown to any Canada Post Officials upon request. Lack of proof will require the contractor to provide a driver certified, in the use of MMHE, for the service or an alternate contractor (at the contractor’s expense) will be used until a certified driver can be provided.

- l) *Communications* - Contractor must provide 24-hour communication access to supervisory staff. If indicated under Section 1.4 – Other Vehicle & Operational Requirements, the Contractor must always provide a working Smartphone for the Driver while on duty.
- m) Any *service irregularities*, problem, or delays (breakdowns, weather, facility delays, etc) must be reported to the Area Performance Centre (APC) (1-800-665-8732) within 15 minutes of occurrence.
- n) *Canada Post Keys* - CPC Keys must be always kept secure. Loss of keys must be reported to

Regional Control Centre. The Contractor is liable for any costs due to the loss of keys.

- o) *Dock Procedures* - It is the responsibility the Contractor to ensure their drivers familiarize themselves and always follow dock procedures. Dock procedures are posted on the dock at all Canada Post mail processing plants.
- p) *Statutory Holidays* – New Year’s Day, Good Friday, Easter Monday, Victoria Day, Civic Holiday (except Quebec).
- q) *Operating rules on Statutory Holidays* – The Contractor will be required to operate on Statutory Holidays. However, for the purpose of determining payment for services required to operate on a statutory holiday, the following rules and definitions will apply.

Canada Post reserves the right to substitute a statutory holiday for a cancelled normal operating day. A modification to the schedule, which precedes or follows a statutory holiday, may be required resulting in cancelled trip(s), e.g., cancelling the regular Saturday and Sunday trip preceding a holiday Monday. In such cases the Contractor may be required to operate on the statutory holiday in lieu of the cancelled trip. No additional payment will be allowed.

Payment for services operating on a statutory holiday excluding situations described as on paragraph above will be based on pro-rata rate only as per the annual contract value.

- r) *Mail Security* - All Vehicle doors are to be furnished with a lock or locking mechanism to affix Canada Post Seals if required. The Contractor must ensure that **the vehicles and keys always remain secure**. Under no circumstances should a trailer or truck containing Mail be left unattended. When travelling, the trailer or truck containing Mail products must have its doors secured with a lock provided by the Contractor. The contractor, or their representative must, at the end of each direction of service, ensure that the content of their vehicle is free of Mail products

1.5 DESIGNATED TENDER POINTS (DTP) AND DESIGNATED DELIVERY POINTS (DDP)

1.5.1. Designated Tender Points (DTP)

- Vancouver - Pacific Processing Centre (PPC)- 5950 Ferguson Rd., Richmond, BC, V7B 0B1
- Prince George - Mail Processing plant (MPP) - 9598 Penn Road, Prince George, BC, V2N 2K0
- Kelowna - Mail Processing Plant (MPP) - 530 Gaston Ave., Kelowna, BC, V1Y 0A1
- Kamloops - Mail Processing Plant (MPP) - 1350 Dalhousie Drive, Kamloops, BC V2C 6G0
- Cranbrook - Main Post Office (MPO) – 101-10th Ave. S., Cranbrook, BC, V1C 2N0
- Castlegar - Main Post Office (MPO) – 1011-4th St., Castlegar, BC, V1N 2B0
- Victoria - Mail Processing plant (VMPP) - 4181 Glanford Ave., Victoria, BC, V8Z 4B0
- Nanaimo - Main Post Office (MPO) - 1847 East Wellington Road E., Nanaimo, BC, V9S 5L0
- Penticton - Main Post Office (MPO) – 56 Industrial Ave. W., Penticton, BC, V2A 5M0
- Port Alberni - Post Office (PO) – 601 – 3555 Johnston, Port Alberni, BC, V9Y 1V0
- Campbell River - Mail Processing Plant (MPP) – 1090 Ironwood Rd, Campbell River, BC, V9W 2P0

1.5.2. Designated Delivery Points (DDP) Locations with Live Off-Loads:

Where Canada Post performs live off-loads at the Designated Delivery Points, the Contractor should take into consideration up to three (3) hours of off-loading time from the time of arrival. The following locations will be considered a live off-load location during business hours only (which varies per location):

These DDP locations require a Tractor Trailer or a Straight Truck:

- Cranbrook - Main Post Office (MPO) – 101-10th Ave. S., Cranbrook, BC, V1C 2N0
- Kelowna - Mail Processing Plant (MPP) - 530 Gaston Ave., Kelowna, BC, V1Y 0A1
- Kamloops - Mail Processing Plant (MPP) - 1350 Dalhousie Drive, Kamloops, BC V2C 6G0
- Prince George - Mail Processing Plant (MPP) - 9598 Penn Rd., Prince George, BC V2N 2K0
- Penticton - Main Post Office (MPO) – 56 Industrial Ave. W., Penticton, BC, V2A 5M0
- Castlegar - Main Post Office (MPO) – 1011-4th St., Castlegar, BC, V1N 2B0
- Nanaimo - Main Post Office (MPO) - 1847 Wellington Road E., Nanaimo, BC, V9S 5L0
- Victoria - Mail Processing plant (MPP) - 4181 Glanford Ave., Victoria, BC, V8Z 4B0

For the following Designated Delivery Points, the Contractor's driver must offload – MMHE Certification required. These DDP are mono capable, and the product will move in monos from point to point.

These DDP locations require a Straight Truck due to space constraints:

- Sechelt - Post Office – 5689 Dolphin Street, Sechelt, BC, V0N 3A0
- Gibsons - Post Office - 400 Gower Point Road, Gibsons, BC, V0N 1V0
- Powell River - Post Office - 4812 Joyce Ave., Powell River, BC, V8A 4R0
- Sooke - Post Office - 6736 West Coast Road, Sooke, BC, V0S 1N0
- Duncan - Post Office - 191 Ingram Street, Duncan, BC, V9L 1P0
- Hope - Post Office - 777 Fraser Ave., Hope, BC, V0X 1L0

These DDP locations require a Tractor Trailer (up to 36') or a Straight Truck with Power Tail Gates, as there are no docks at these locations:

- Brackendale – Post Office – 41703 Government Road, Brackendale, BC, V0N 1H0 (Loose load only)
- Squamish - Post Office - 38064 Cleveland Ave., Squamish, BC, V8B 1A0
- Garibaldi Highlands - Post Office - 4-1900 Garibaldi Way, Garibaldi, BC, V0N 1T0
- Pemberton – Post Office – 3-7431 Prospect St., Pemberton, BC, V0N 2L0
- Tofino - Post Office – 161 First St., Tofino, BC, V0R 2Z0
- Ucluelet - Post Office – 9-1636 Peninsula Rd., Ucluelet, BC, V0R 3A0
- Port McNeill - Post Office – 1603 McNeill Rd., Port McNeill, BC, V0N 2R0
- Port Hardy – Post Office – 7115 Hall St., Port Hardy, BC, V0N 2P0

These DDP locations require a Tractor Trailer or a Straight Truck with or without Power Tail Gates:

- Vancouver Pacific Parcel Centre (PPC) - 5950 Ferguson Rd., Richmond, BC V7B 0B1
- Parksville - Post Office - 250 Island Highway, Parksville, BC, V9P 1A0
- Qualicum Beach Post Office - 675 Primrose Street, Qualicum, BC, V9K 1A0
- Port Alberni Post Office - 4877 Argyle St., Port Alberni, BC, V9Y 1V0
- Mission - Main Post Office - 33191 First Ave., Mission, BC, V2V 1J0
- Chilliwack - Main Post Office - 46229 Yale Road., Chilliwack, BC, V2P 2P0
- Abbotsford - Mail Processing Depot - 150-33973 Gladys Ave., Abbotsford, BC, V2S 3J0
- Vanderhoof - Post Office -192 Stewart St., Vanderhoof, BC, V0J 3A0
- Mackenzie - Post Office - 400 Mackenzie Blvd., Mackenzie, BC, V0J 20
- Smithers - Post Office - 3738 3rd Ave., Smithers, BC, V0J 2N0
- Terrace - Post Office -3232 Emerson St., Terrace, BC, V8G 2S0

- Prince Rupert - Post Office - 417 2nd Ave West, Prince Rupert, BC, V8J 1G0
- Whistler – Post Office – Unit 111 8060 Nesters Road, Whistler, BC, V8E 1A0

In all other offices not listed above, the Contractor is responsible for loading and unloading all Mail. The Contractor must be aware that most offices will not have staff in the building or any equipment to assist in this and all products will have to be loaded using a pallet jack moving monotainers into facilities.

Product offloaded at the post offices must be unloaded and staged at level height of the mono or cart with the excess placed on the floor or designated carts meant for this purpose.

1.6 OTHER REQUIREMENTS

- a) Contractors with 24-hour dispatch or communication may be given preference. As per Canada Post Corporation 24hr work schedule, the Contractor may be called at various hours to perform adhoc duties (e.g., contacted at 02:00 pm for a 04:00 pm departure on the same day)
- b) The number to call is the Area Performance Center 1-800-665-8732**
- c) The Contractor must provide contingency for service failures or mechanical breakdowns. Contingency plans may include providing immediate back up vehicles and/or drivers to assure prompt continuity of the requested services. Failure to recover a load in a reasonable time will result in CPC providing a contingency and charging such cost back to the Contractor.
- d) Contractors and drivers must become familiar with Canada Post paperwork including Surface Transportation Reports (STR), Scan to Vehicle document (STV), Statement of Mailings, manifests, etc.
- e) If requested, Contractors/drivers may be required to tally and report volumes picked up or dropped off.
- f) Contractors required to perform pick-up/delivery service to Canada Post's Customers must maintain the highest industry standards of grooming and must be Customer sensitive and Customer oriented.
- g) Contractors should be aware that delays may occur during high volume periods such as the October to January Peak volume season. Seasonal delays should be accounted for when rates are submitted.
- h) Authorization numbers (and Surface Transportation Reports (STR) if available) must be obtained before an overload is performed and must be submitted with the Contractor's invoices. It is the Contractor's responsibility to obtain the Authorization Number and documentation from the dispatching Postal location. The Contractor must maintain these records and ensure accuracy.
- i) Canada Post requires exclusive use of all Contractor's vehicles unless other arrangements have been approved by Canada Post in advance.
- j) All loads must go direct to Destination without stop off at non- Canada Post facilities, unless otherwise approved by Canada Post.
- k) The dimension of overload vehicles must meet Canada Post vehicle specifications.
- l) The Contractor is responsible to assure that all dispatched drivers are security cleared in accordance with Canada Post Security Requirements in Schedule "C" of the sample Agreement included in Attachment #3.
- m) All rates submitted under Section 1 must be inclusive of all Contractor costs which are required to execute the requested service, such as, but not limited to fuel, wages, smartphone expenses,

vehicle maintenance and insurance, weather related delays, contingencies, detours, wait times, layover expenses and toll fees.

2. ELECTIONS/CENSUS MATERIAL ADHOC DELIVERY & PICKUP

2.1 DESCRIPTION OF SERVICE

2.1.1. Transportation services of Election/Census Material between Postal facilities and specific delivery points across the Province of British Columbia.

This service requires the delivery of Electoral/Census Material in Monotainers to the Return Offices (RO) prior and after each Federal/Provincial Election or Census.

- a) There will be multiple waves of deliveries and pickups as part of each requirement. Specific Timetables, schedules, delivery and pick-up locations will be provided to the Contractor on a project-by-project basis. Delivery/pickup appointments will be made by Canada Post regional coordinators
- b) The vehicle required is a Straight Truck (5Ton) with Tail Gates, able to accept CPC Monotainers in a single stack as indicated in the table under Section 2.2 below, to facilitate loading/unloading.
- c) Each delivery/pick up requires one driver and one helper to facilitate White-Glove Delivery/Pick-up Service which includes manual breakdown and manual delivery/pick-up of product into/from any required offices as specified by relevant staff.
- d) Each Straight Truck must have one manual pallet jack and one dolly
- e) Each delivery may vary from 1 to 10 monotainers per trip
- f) Material must be delivered inside an office or house as instructed by relevant staff
- g) Empty monotainers must be returned right after the delivery to the same origin Postal facility
- h) The **delivery operations** to the Return Office (RO includes pickup monotainers at the Postal facility, deliver them at the RO office and bring back empty monotainers to the Canada Post facility of origin
- i) The **pickup operations** at the Return Office (RO) includes a stop at the Postal facility to get empty monotainers, pickup at the RO office and deliver the loaded
- j) monotainers at the same Postal facility

2.1.2. Transportation services of Election/Census Material from Correctional Facilities.

This service includes the collection of Electoral Material from Correctional Facilities across the Province of British Columbia and its delivery to specified Canada Post facilities. Specific addresses for pick-up and delivery will be determined on a per-project basis.

- a) Pick up and drop off date will be on the same day, unless the drop off occurs shortly after midnight.
- b) Time of pick-up MUST BE between 20:00 and 21:00 hours local time on the date specified unless otherwise directed.
- c) The delivery of the Election/Census Material to the Canada Post facility indicated must be executed immediately after the pick-up takes place. The designated Canada Post facility receiving the Election/Census Material will remain open specifically for this purpose and will be awaiting your delivery, regardless of the time of day or night.
- d) The vehicle required is either a car or minivan if it is reliable and permits the Contractor to complete the task within the shortest amount of time possible.

- e) The distance to travel in some locations may be as little as 1 km and up to 1,000 km depending upon the location of the facilities.
- f) Election/Census Material CANNOT be left unattended for any amount of time.

2.1.3. Transportation services of Electoral Material from Special Voting Offices (SVO) in Universities and Campuses.

This service includes the collection of Electoral Material in a courier bag from Special Voting Offices (SVO) such as Universities and campuses across the Province of British Columbia and its delivery to specified Canada Post local facilities. Specific addresses for pick-up and delivery will be determined on a per-project basis.

- a) One daily pick up of a courier bag from the SVO and its immediate delivery to the local Post Office indicated.
- b) Pickups may be scheduled everyday (including weekends) within a short period of time (usually 5-6 days) during business hours
- c) The vehicle required is either a car or minivan if it is reliable and permits you to complete the task within the shortest amount of time possible.

2.2 TYPE/SPECIFICATIONS OF VEHICLE(S) REQUIRED

Description	Vehicle Specification Type
Car or Minivan	1
Straight truck with Tail Gate	9 - 14

TYPE	DESCRIPTION	BOX MEASUREMENTS			CUBIC CAPACITY		PAYLOAD CAPACITY	GROSS VEHICLE WEIGHT (GVW)	MONO CAPACITY
		OUTSIDE LENGTH	OUTSIDE WIDTH	INSIDE HEIGHT	CUBIC FEET	CUBIC METERS			
1	CAR / MINIVAN				150	4.2	500		
9	STRAIGHT TRUCK	20' 6.1 m	8.5' 2.59 m	96" 244 cm	1360	38.9	6300	11000	9 – S
10	STRAIGHT TRUCK	22' 6.7 m	8.5' 2.59 m	96" 244 cm	1496	42.7	7200	15800	11 - S
11	STRAIGHT TRUCK	22' 6.7 m	8.5' 2.59 m	95-102" 259 cm	1500	42.5	7200	15800	11 – S
12	STRAIGHT TRUCK	24' 7.31 m	8.5' 2.59 m	95-102" 259 cm	1554	44.0	7500	15800	11 – S 22-D
13	STRAIGHT TRUCK	26' 7.92 m	8.5' 2.59 m	95-102" 259 cm	1879	53.7	7800	15800	12 – S 24-D
14	STRAIGHT TRUCK	28' 8.54 m	8.5' 2.59 m	102" 259 cm	2023	57.8	8100	15800	13-2 26-D

2.3 OTHER VEHICLE & OPERATIONAL REQUIREMENTS

Barn doors	As applicable
Roll up doors	As applicable
Driver certification required to use CPC Industrial low lift trucks as per section 2.3 k)	No

Smartphone for Driver on duty	Yes
Tailgate	Yes
1 Manual Pallet jack in each truck	Yes
1 Dolly on each truck	Yes

- a) Upon request of CPC, drivers will be required to download on the required *Smartphone* a tracking application free of charge to track the movement of these monotainers. Any charges related to the use of the Smartphone and/or the required application (including, but not limited to data) are the responsibility of the Contractor.
- b) *Vehicle(s) appearance* shall be free of rust and body damage. Vehicle(s) must be kept in first rate operating condition for the entire term of the agreement, with appropriate safety equipment, to prevent delays. Vehicle(s) must be able to pass the appropriate Provincial Safety Inspection during the term of the agreement.
- c) *Monotainers (Mono)* - A container for bulk mail in transit between postal facilities. Consists of a rectangular welded steel base with open mesh sides constructed of horizontal and vertical wire rods welded at the crossover points. The monotainers may be stored in either the fully erected or fully collapsed condition.

Dimensions: (Erected/Collapsed)

Length 1322 mm /1322 mm

Width 1067 mm /1067 mm

Height 1115 mm / 260 mm

Weight 200 lbs. (empty)

Monotainers capacity is for CPC reference only. When loose loading, the determining factor will be maximum licensed cargo capacity. S = Single monotainers D = Double stacked monotainers.

- d) *Door Opening* – 95 to 102 inches clearance for straight trucks and tractor/trailer units for door opening from the highest point of the floor to lowest point of door.
- e) *Measurement and Payloads* – The above specifications are minimum requirements and are to be used as general guidelines only. Vehicle type, size and cube variations may be possible as long as the minimum cubic and payload capacities are met as per Vehicle Specifications Type indicated.
- f) *Vehicle height to Dock level* - All straight trucks or tractor trailer units must meet industry standards for loading/unloading from a standard 48” ground to dock floor level high dock unless otherwise specified.
- g) *Restrictions* - No refrigerated (“reefer”) trucks are allowed. No propane heaters are allowed.
- h) All *equipment* must be licensed for the maximum legal Gross Vehicle Weight (G.V.W). All equipment must meet Federal, provincial, and municipal regulations governing the use and condition of such equipment.

Straight trucks and trailers (except vehicles with a Power Tail Gate) must have ICC bars to accommodate the Dock Lock systems at Canada Post mail processing facilities. If, for any reason, the contractor must provide a substitute or replacement for the vehicle contracted under this Schedule A, the substitute vehicle must meet or exceed the contract specifications.

Drivers will install and/or remove wheel chocks to/from truck or trailer wheels at all stops on the schedule. A minimum of two chocks is required on opposing sides of the rear wheels.

All vehicle doors are to be furnished with a lock or locking mechanism to affix Canada Post seals if required. The Contractor must ensure that the vehicles and the keys for vehicles always remain secure.

- i) C.S.A. approved safety shoes must be always worn on CPC property and at any CPC Customer locations. CSA Z96-02 approved high-visibility traffic safety vest must be always worn.
- j) *Special Service Tasks* - The inside of the box/trailer must be always kept clean from refuse (dust, paper, or cardboard waste etc.)

When requested by Canada Post, the Contractor shall separate by product line on the vehicle all mail picked up on the mail collection trip.

- k) *Motorized Material Handling Equipment (MMHE) Training* - The Contractor may have to use Industrial low lift trucks or Motorized Material Handling Equipment (MMHE) to perform the service on certain services.

Refer to the table under Section 1.4 – Other Vehicle & Operational Requirements to know if the driver(s) need a certification to use a MMHE.

If there is no need to use an industrial low lift truck or a MMHE equipment, then the Contractor acknowledges that in the performance of the work, the operation of manual and mechanized equipment may be required. Accordingly, in the event the Contractor uses or is required to use Canada Post equipment for loading and/or unloading of the mail, the Contractor shall make such use at its own risk and shall indemnify and hold Canada Post harmless pursuant to the indemnification provisions set forth in this agreement, with respect to any liability arising from such use.

If the driver(s) need(s) to use an industrial low lift truck or a MMHE equipment, then the contractor (at its own expense) shall provide personnel who are properly trained and certified (carry a card) in accordance to the Canada Labour Code (“Code”) and the Canadian/Provincial Occupational Health and Safety Regulations (“COSH”) level in the operation of industrial low lift trucks (Motorized Material Handling Equipment (MMHE), similar to LR7 and LW7).

The Contractor will be required to use Canada Post equipment for loading and/or unloading the mail, the Contractor shall make such use at its own risk and shall indemnify and hold Canada Post harmless pursuant to the indemnification provisions set forth in this Agreement, with respect to any liability arising from such use.

The contractor’s driver may be challenged, a certification document/card, in the use of MMHE, must be shown to any Canada Post Officials upon request. Lack of proof will require the contractor to provide a driver certified, in the use of MMHE, for the service or an alternate contractor (at the contractor’s expense) will be used until a certified driver can be provided.

- l) *Communications* - Contractor must provide 24-hour communication access to supervisory staff. The Contractor must always provide a working Smartphone for the Driver while on duty.
- m) Any *service irregularities*, problem, or delays (breakdowns, weather, facility delays, etc) must be reported to the Area Performance Centre (APC) (1-800-665-8732) within 15 minutes of occurrence.
- n) *Canada Post Keys* - CPC Keys must be always kept secure. Loss of keys must be reported to Regional Control Centre. The Contractor is liable for any costs due to the loss of keys.
- o) *Dock Procedures* - It is the responsibility the Contractor to ensure their drivers familiarize themselves and always follow dock procedures. Dock procedures are posted on the dock at all Canada Post mail processing plants.
- p) *Statutory Holidays* – New Year’s Day, Good Friday, Easter Monday, Victoria Day, Civic Holiday (except Quebec). Reconciliation Day
- q) *Operating rules on Statutory Holidays* – The Contractor will be required to operate on Statutory Holidays. However, for the purpose of determining payment for services required to operate on a statutory holiday, the following rules and definitions will apply.

Canada Post reserves the right to substitute a statutory holiday for a cancelled normal operating day. A modification to the schedule, which precedes or follows a statutory holiday, may be required resulting in cancelled trip(s), e.g., cancelling the regular Saturday and Sunday trip preceding a holiday Monday. In such cases the Contractor may be required to operate on the statutory holiday in lieu of the cancelled trip. No additional payment will be allowed.

Payment for services operating on a statutory holiday excluding situations described as on paragraph above will be based on pro-rata rate only as per the annual contract value.

- r) *Mail Security* - All Vehicle doors are to be furnished with a lock or locking mechanism to affix Canada Post Seals if required. The Contractor must ensure that the vehicles and keys always remain secure. Under no circumstances should a trailer or truck containing Mail be left unattended. When travelling, the trailer or truck containing Mail products must have its doors secured with a lock provided by the Contractor. The contractor, or their representative must, at the end of each direction of service, ensure that the content of their vehicle is free of Mail products

3. INSURANCE REQUIREMENTS

In accordance with Section 9.0 of the sample Agreement in Attachment #3 of this RFQ, the Contractor shall provide and maintain, at its own expense, the following minimum insurance coverage:

- a) **Commercial General Liability insurance**, with a minimum limit of \$1,000,000.00 per occurrence for personal injury, bodily injury (including death) and property damage, unless the Contractor utilizes a tractor-trailer type vehicle in which case a minimum of \$2,000,000.00 per occurrence. Canada Post shall be added to the policy as an additional insured and the policy shall contain cross liability and severability of interest clauses.
- b) **Commercial Automobile Liability insurance**, with a minimum limit of \$2,000,000.00 per occurrence for bodily injury (including death) and property damage, unless the Contractor utilizes a tractor-trailer type vehicle in which case a minimum of \$3,000,000.00 per occurrence.
- c) **Cargo insurance** covering the property of others in the Contractor's care, custody, or control with a minimum limit of \$25,000.00 per occurrence for vehicles less than 5 tons; \$50,000.00 per occurrence for vehicles of 5 tons or greater; or \$100,000.00 per occurrence for tractor-trailer type vehicles.